

TOOTENIMETUS	SOODUS	HIND
Đ?Đ²ĐμÑ?Đ½Đ°Ñ• Ñ?Ñ?Ñ?Đ°Đ° Mandelli NADIR 771/SB (Đ¿Đ³⁄₄Đ»Đ, Ñ?Đ³⁄₄Đ²Đ°Đ½Đ½Ñ?Đ¹ Đ»Đ°Ñ?Ñ?Đ½Ñ?, Đ´Đ»Ñ• Đ´Đ²ĐμÑ?ĐμĐ¹ 30-50 Đ¼Đ¼)	88.84 ?	104.52 ?
Đ?Đ²ĐμÑ?Đ½Đ°Ñ• Ñ?Ñ?Ñ?Đ°Đ° Mandelli NADIR 771/SB (Đ»Đ°Ñ?Ñ?Đ½Ñ? Đ³⁄₄Đ±Ñ?Đ°Đ±Đ³⁄₄Ñ?Đ°Đ½Đ½Ñ?Đ¹ Ñ?Ñ?Ñ?Đ°Đ³⁄₄Đ¹, Đ´Đ»Ñ• Đ´Đ²ĐμÑ?ĐμĐ¹ 30-50 Đ¼Đ¼)	88.43 ?	104.04 ?
Đ?Đ²ĐμÑ?Đ½Đ°Ñ• Ñ?Ñ?Ñ?Đ°Đ° Mandelli NADIR 771/SB (Đ±Đ»ĐμÑ•Ñ?Ñ•Ñ?Đ, Đ¹ Ñ ÑÑ?Đ³⁄₄Đ¼, Đ´Đ»Ñ• Đ´Đ²ĐμÑ?ĐμĐ¹ 30-50 Đ¼Đ¼)	93.59 ?	110.10 ?
Đ?Đ²ĐμÑ?Đ½Đ°Ñ• Ñ?Ñ?Ñ?Đ°Đ° Mandelli NADIR 771/SB (Ñ•Đ°Ñ?Đ, Đ½Đ³⁄₄Đ²Ñ?Đ¹ Ñ ÑÑ?Đ³⁄₄Đ¼, Đ´Đ»Ñ• Đ´Đ²ĐμÑ?ĐμĐ¹ 30-50 Đ¼Đ¼)	88.33 ?	103.92 ?
Đ?Đ²ĐμÑ?Đ½Đ°Ñ• Ñ?Ñ?Ñ?Đ°Đ° Mandelli NADIR 771/SB (Đ¶ĐμĐ¼Ñ?Ñ?Đ¶Đ½Ñ?Đ¹ Ñ?ĐμÑ?Đ½Ñ?Đ¹, Đ´Đ»Ñ• Đ´Đ²ĐμÑ?ĐμĐ¹ 30-50 Đ¼Đ¼)	113.37 ?	133.38 ?
Đ?Đ²ĐμÑ?Đ½Đ°Ñ• Ñ?Ñ?Ñ?Đ°Đ° Mandelli NADIR 771/Y Ñ?Đ, Ñ?Đ³⁄₄Đ° Ñ• Đ³⁄₄Ñ?Đ²ĐμÑ?Ñ•Ñ?Đ, ĐμĐ¼ Đ´Đ»Ñ• Ñ?Đ, Đ»Đ, Đ½Đ´Ñ?Đ° (Đ¿Đ³⁄₄Đ»Đ, Ñ?Đ³⁄₄Đ²Đ°Đ½Đ½Ñ?Đ¹ Đ»Đ°Ñ?Ñ?Đ½Ñ?, Đ´Đ»Ñ• Đ´Đ²ĐμÑ?ĐμĐ¹ 30-50 Đ¼Đ¼)	104.65 ?	123.12 ?
Đ?Đ²ĐμÑ?Đ½Đ°Ñ• Ñ?Ñ?Ñ?Đ°Đ° Mandelli NADIR 771/Y Ñ?Đ, Ñ?Đ³⁄₄Đ° Ñ• Đ³⁄₄Ñ?Đ²ĐμÑ?Ñ•Ñ?Đ, ĐμĐ¼ Đ´Đ»Ñ• Ñ?Đ, Đ»Đ, Đ½Đ´Ñ?Đ° (Đ»Đ°Ñ?Ñ?Đ½Ñ? Đ³⁄₄Đ±Ñ?Đ°Đ±Đ³⁄₄Ñ?Đ°Đ½Đ½Ñ?Đ¹ Ñ?Ñ?Ñ?Đ°Đ³⁄₄Đ¹, Đ´Đ»Ñ• Đ´Đ²ĐμÑ?ĐμĐ¹ 30-50 Đ¼Đ¼)	103.84 ?	122.16 ?
Đ?Đ²ĐμÑ?Đ½Đ°Ñ• Ñ?Ñ?Ñ?Đ°Đ° Mandelli NADIR 771/Y Ñ?Đ, Ñ?Đ³⁄₄Đ° Ñ• Đ³⁄₄Ñ?Đ²ĐμÑ?Ñ•Ñ?Đ, ĐμĐ¼ Đ´Đ»Ñ• Ñ?Đ, Đ»Đ, Đ½Đ´Ñ?Đ° (Đ±Đ»ĐμÑ•Ñ?Ñ•Ñ?Đ, Đ¹ Ñ ÑÑ?Đ³⁄₄Đ¼, Đ´Đ»Ñ• Đ´Đ²ĐμÑ?ĐμĐ¹ 30-50 Đ¼Đ¼)	110.31 ?	129.78 ?
Đ?Đ²ĐμÑ?Đ½Đ°Ñ• Ñ?Ñ?Ñ?Đ°Đ° Mandelli NADIR 771/Y Ñ?Đ, Ñ?Đ³⁄₄Đ° Ñ• Đ³⁄₄Ñ?Đ²ĐμÑ?Ñ•Ñ?Đ, ĐμĐ¼ Đ´Đ»Ñ• Ñ?Đ, Đ»Đ, Đ½Đ´Ñ?Đ° (Ñ•Đ°Ñ?Đ, Đ½Đ³⁄₄Đ²Ñ?Đ¹ Ñ ÑÑ?Đ³⁄₄Đ¼, Đ´Đ»Ñ• Đ´Đ²ĐμÑ?ĐμĐ¹ 30-50 Đ¼Đ¼)	103.38 ?	121.62 ?
Đ?Đ²ĐμÑ?Đ½Đ°Ñ• Ñ?Ñ?Ñ?Đ°Đ° Mandelli NADIR 771/Y Ñ?Đ, Ñ?Đ³⁄₄Đ° Ñ• Đ³⁄₄Ñ?Đ²ĐμÑ?Ñ•Ñ?Đ, ĐμĐ¼ Đ´Đ»Ñ• Ñ?Đ, Đ»Đ, Đ½Đ´Ñ?Đ° (Đ¶ĐμĐ¼Ñ?Ñ?Đ¶Đ½Ñ?Đ¹ Ñ?ĐμÑ?Đ½Ñ?Đ¹, Đ´Đ»Ñ• Đ´Đ²ĐμÑ?ĐμĐ¹ 30-50 Đ¼Đ¼)	137.14 ?	161.34 ?
Đ?Đ²ĐμÑ?Đ½Đ°Ñ• Ñ?Ñ?Ñ?Đ°Đ° Mandelli NADIR 771/R4 Ñ• Đ¿Đ³⁄₄Đ²Đ³⁄₄Ñ?Đ³⁄₄Ñ?Đ½Đ³⁄₄Đ¹ Đ°Đ½Đ³⁄₄Đ¿Đ°Đ³⁄₄Đ¹ (Đ¿Đ³⁄₄Đ»Đ, Ñ?Đ³⁄₄Đ²Đ°Đ½Đ½Ñ?Đ¹ Đ»Đ°Ñ?Ñ?Đ½Ñ?, Đ´Đ»Ñ• Đ´Đ²ĐμÑ?ĐμĐ¹ 30-50 Đ¼Đ¼)	134.69 ?	158.46 ?
Đ?Đ²ĐμÑ?Đ½Đ°Ñ• Ñ?Ñ?Ñ?Đ°Đ° Mandelli NADIR 771/R4 Ñ• Đ¿Đ³⁄₄Đ²Đ³⁄₄Ñ?Đ³⁄₄Ñ?Đ½Đ³⁄₄Đ¹ Đ°Đ½Đ³⁄₄Đ¿Đ°Đ³⁄₄Đ¹ (Đ»Đ°Ñ?Ñ?Đ½Ñ? Đ³⁄₄Đ±Ñ?Đ°Đ±Đ³⁄₄Ñ?Đ°Đ½Đ½Ñ?Đ¹ Ñ?Ñ?Ñ?Đ°Đ³⁄₄Đ¹, Đ´Đ»Ñ• Đ´Đ²ĐμÑ?ĐμĐ¹ 30-50 Đ¼Đ¼)	133.88 ?	157.50 ?
Đ?Đ²ĐμÑ?Đ½Đ°Ñ• Ñ?Ñ?Ñ?Đ°Đ° Mandelli NADIR 771/R4 Ñ• Đ¿Đ³⁄₄Đ²Đ³⁄₄Ñ?Đ³⁄₄Ñ?Đ½Đ³⁄₄Đ¹ Đ°Đ½Đ³⁄₄Đ¿Đ°Đ³⁄₄Đ¹ (Đ±Đ»ĐμÑ•Ñ?Ñ•Ñ?Đ, Đ¹ Ñ ÑÑ?Đ³⁄₄Đ¼, Đ´Đ»Ñ• Đ´Đ²ĐμÑ?ĐμĐ¹ 30-50 Đ¼Đ¼)	141.88 ?	166.92 ?

TOOTENIMETUS	SOODUS	HIND
Ð?Ð²ÐµÑ?Ð½Ð°Ñ• Ñ?Ñ?Ñ?Ð°Ð° Mandelli NADIR 771/R4 Ñ• Ð¿Ð³Ð²Ð³Ñ?Ð³Ñ?Ð½Ð³Ð¹ Ð°Ð½Ð³Ð¿Ð¿Ð¿Ð³Ð¹ (Ñ•Ð°Ñ?Ð¿, Ð½Ð³Ð²Ð²Ñ?Ð¹ Ñ Ñ?Ð³Ð¹, Ð´Ð»Ñ• Ð´Ð²ÐµÑ?ÐµÐ¹ 30-50 Ð¼Ð¼)	129.08?	151.86?
Ð?Ð²ÐµÑ?Ð½Ð°Ñ• Ñ?Ñ?Ñ?Ð°Ð° Mandelli NADIR 771/R4 Ñ• Ð¿Ð³Ð²Ð³Ñ?Ð³Ñ?Ð½Ð³Ð¹ Ð°Ð½Ð³Ð¿Ð¿Ð¿Ð³Ð¹ (Ð¶ÐµÐ¼Ñ?Ñ?Ð¶Ð½Ñ?Ð¹ Ñ?ÐµÑ?Ð½Ñ?Ð¹, Ð´Ð»Ñ• Ð´Ð²ÐµÑ?ÐµÐ¹ 30-50 Ð¼Ð¼)	171.26 ?	201.48 ?
Ð?Ð²ÐµÑ?Ð½Ð°Ñ• Ñ?Ñ?Ñ?Ð°Ð° Mandelli NADIR 770/Y Ñ• Ð´Ð»Ð¿, Ð½Ð½Ð³Ð¹ Ð¿Ð»Ð»Ð°Ñ•Ñ?Ð¿, Ð½Ð³Ð¹ Ð¿, Ð³Ñ?Ð²ÐµÑ?Ñ•Ñ?Ð¿, ÐµÐ¼¼ Ð´Ð»Ñ• Ñ?Ð¿, Ð»Ð»Ð½Ñ?Ð° (Ð¿Ð³Ð¿Ð»Ñ?Ð³Ð²Ð°Ð½Ñ?Ð¹ Ð»Ð»Ñ?Ñ?Ð½Ñ?, Ð´Ð»Ñ• Ð´Ð²ÐµÑ?ÐµÐ¹ 36-56 Ð¼Ð¼)	104.65 ?	123.12 ?
Ð?Ð²ÐµÑ?Ð½Ð°Ñ• Ñ?Ñ?Ñ?Ð°Ð° Mandelli NADIR 770/Y Ñ• Ð´Ð»Ð»Ð¿, Ð½Ð½Ð³Ð¹ Ð¿Ð»Ð»Ð»Ð»Ð»Ð»Ð»Ð» Ð¿, Ð³Ñ?Ð²ÐµÑ?Ñ•Ñ?Ð¿, ÐµÐ¼¼ Ð´Ð»Ñ• Ñ?Ð¿, Ð»Ð»Ð½Ñ?Ð° (Ð»Ð»Ñ?Ñ?Ð½Ñ? Ð³Ð±Ñ?Ð°Ð±Ð³Ñ?Ð°Ð½Ñ?Ð¹ Ñ?Ñ?Ñ?Ð°Ð¹, Ð´Ð»Ñ• Ð´Ð²ÐµÑ?ÐµÐ¹ 36-56 Ð¼Ð¼)	103.84 ?	122.16 ?
Ð?Ð²ÐµÑ?Ð½Ð°Ñ• Ñ?Ñ?Ñ?Ð°Ð° Mandelli NADIR 770/Y Ñ• Ð´Ð»Ð»Ð¿, Ð½Ð½Ð³Ð¹ Ð¿Ð»Ð»Ð»Ð»Ð»Ð»Ð»Ð» Ð¿, Ð³Ñ?Ð²ÐµÑ?Ñ•Ñ?Ð¿, ÐµÐ¼¼ Ð´Ð»Ñ• Ñ?Ð¿, Ð»Ð»Ð½Ñ?Ð° (Ð±Ð»ÐµÑ?Ñ?Ñ?Ñ?Ð¿, Ð¹ ÑÑ?Ð³Ð¼, Ð´Ð»Ñ• Ð´Ð²ÐµÑ?ÐµÐ¹ 36-56 Ð¼Ð¼)	110.31 ?	129.78 ?
Ð?Ð²ÐµÑ?Ð½Ð°Ñ• Ñ?Ñ?Ñ?Ð°Ð° Mandelli NADIR 770/Y Ñ• Ð´Ð»Ð»Ð¿, Ð½Ð½Ð³Ð¹ Ð¿Ð»Ð»Ð»Ð»Ð»Ð»Ð»Ð» Ð¿, Ð³Ñ?Ð²ÐµÑ?Ñ•Ñ?Ð¿, ÐµÐ¼¼ Ð´Ð»Ñ• Ñ?Ð¿, Ð»Ð»Ð½Ñ?Ð° (Ñ•Ð°Ñ?Ð¿, Ð½Ð³Ð²Ð²Ñ?Ð¹ ÑÑ?Ð³Ð¼, Ð´Ð»Ñ• Ð´Ð²ÐµÑ?ÐµÐ¹ 36-56 Ð¼Ð¼)	103.38 ?	121.62 ?
Ð?Ð²ÐµÑ?Ð½Ð°Ñ• Ñ?Ñ?Ñ?Ð°Ð° Mandelli NADIR 770/Y Ñ• Ð´Ð»Ð»Ð¿, Ð½Ð½Ð³Ð¹ Ð¿Ð»Ð»Ð»Ð»Ð»Ð»Ð»Ð» Ð¿, Ð³Ñ?Ð²ÐµÑ?Ñ•Ñ?Ð¿, ÐµÐ¼¼ Ð´Ð»Ñ• Ñ?Ð¿, Ð»Ð»Ð½Ñ?Ð° (Ð¶ÐµÐ¼Ñ?Ñ?Ð¶Ð½Ñ?Ð¹ Ñ?ÐµÑ?Ð½Ñ?Ð¹, Ð´Ð»Ñ• Ð´Ð²ÐµÑ?ÐµÐ¹ 36-56 Ð¼Ð¼)	137.14 ?	161.34 ?
Ð?Ð²ÐµÑ?Ð½Ð°Ñ• Ñ?Ñ?Ñ?Ð°Ð° Mandelli NADIR 770/SF Ñ• Ð´Ð»Ð»Ð¿, Ð½Ð½Ð³Ð¹ Ð¿Ð»Ð»Ð»Ð»Ð»Ð»Ð»Ð» Ð¿ (Ð¿Ð³Ð¿Ð»Ñ?Ð³Ð²Ð°Ð½Ñ?Ð¹ Ð»Ð»Ñ?Ñ?Ð½Ñ?, Ð´Ð»Ñ• Ð´Ð²ÐµÑ?ÐµÐ¹ 36-56 Ð¼Ð¼)	104.65 ?	123.12 ?
Ð?Ð²ÐµÑ?Ð½Ð°Ñ• Ñ?Ñ?Ñ?Ð°Ð° Mandelli NADIR 770/SF Ñ• Ð´Ð»Ð»Ð¿, Ð½Ð½Ð³Ð¹ Ð¿Ð»Ð»Ð»Ð»Ð»Ð»Ð»Ð» Ð¿ (Ð»Ð»Ñ?Ñ?Ð½Ñ? Ð³Ð±Ñ?Ð°Ð±Ð³Ñ?Ð°Ð½Ñ?Ð¹ Ñ?Ñ?Ñ?Ð°Ð¹, Ð´Ð»Ñ• Ð´Ð²ÐµÑ?ÐµÐ¹ 36-56 Ð¼Ð¼)	103.84 ?	122.16 ?
Ð?Ð²ÐµÑ?Ð½Ð°Ñ• Ñ?Ñ?Ñ?Ð°Ð° Mandelli NADIR 770/SF Ñ• Ð´Ð»Ð»Ð¿, Ð½Ð½Ð³Ð¹ Ð¿Ð»Ð»Ð»Ð»Ð»Ð»Ð»Ð» Ð¿ (Ð±Ð»ÐµÑ?Ñ?Ñ?Ñ?Ð¿, Ð¹ ÑÑ?Ð³Ð¼, Ð´Ð»Ñ• Ð´Ð²ÐµÑ?ÐµÐ¹ 36-56 Ð¼Ð¼)	110.31 ?	129.78 ?
Ð?Ð²ÐµÑ?Ð½Ð°Ñ• Ñ?Ñ?Ñ?Ð°Ð° Mandelli NADIR 770/SF Ñ• Ð´Ð»Ð»Ð¿, Ð½Ð½Ð³Ð¹ Ð¿Ð»Ð»Ð»Ð»Ð»Ð»Ð»Ð» Ð¿ (Ñ•Ð°Ñ?Ð¿, Ð½Ð³Ð²Ð²Ñ?Ð¹ ÑÑ?Ð³Ð¼, Ð´Ð»Ñ• Ð´Ð²ÐµÑ?ÐµÐ¹ 36-56 Ð¼Ð¼)	103.38 ?	121.62 ?
Ð?Ð²ÐµÑ?Ð½Ð°Ñ• Ñ?Ñ?Ñ?Ð°Ð° Mandelli NADIR 770/SF Ñ• Ð´Ð»Ð»Ð¿, Ð½Ð½Ð³Ð¹ Ð¿Ð»Ð»Ð»Ð»Ð»Ð»Ð»Ð» Ð¿ (Ð¶ÐµÐ¼Ñ?Ñ?Ð¶Ð½Ñ?Ð¹ Ñ?ÐµÑ?Ð½Ñ?Ð¹, Ð´Ð»Ñ• Ð´Ð²ÐµÑ?ÐµÐ¹ 36-56 Ð¼Ð¼)	137.14 ?	161.34 ?
Ð?Ð²ÐµÑ?Ð½Ð°Ñ• Ñ?Ñ?Ñ?Ð°Ð° Mandelli NADIR 770/BG4 Ñ• Ð¿Ð³Ð²Ð³Ð³Ñ?Ð³Ñ?Ð½Ð³Ð¹ Ð°Ð½Ð³Ð¿Ð¿Ð¿Ð³Ð¹ (Ð¿Ð³Ð¿Ð»Ñ?Ð³Ð²Ð°Ð½Ñ?Ð¹ Ð»Ð»Ñ?Ñ?Ð½Ñ?, Ð´Ð»Ñ• Ð´Ð²ÐµÑ?ÐµÐ¹ 36-56 Ð¼Ð¼)	132.45 ?	155.82 ?

TOOTENIMETUS	SOODUS	HIND
ᐃ?ᐃ²ᐃᓄᑦᑦᐃ½ᐃ°ᑦᑦ ᑦᑦᑦᑦᑦᐃ°ᐃ° Mandelli NADIR 770/BG4 ᑦᑦ ᐃᓚᐃ³⁴ᐃ²ᐃ³⁴ᑦᑦᐃ³⁴ᑦᑦᐃ½ᐃ³⁴ᐃ¹ ᐃ°ᐃ½ᐃ³⁴ᐃᓚᐃ°ᐃ³⁴ᐃ¹ (ᐃ»ᐃ°ᑦᑦᑦᐃ½ᑦᑦ? ᐃ³⁴ᐃ±ᑦᑦᐃ°ᐃ±ᐃ³⁴ᑦᑦᐃ°ᐃ½ᐃ½ᑦᑦᐃ¹ ᑦᑦᑦᑦᑦᐃ°ᐃ³⁴ᐃ¹, ᐃ´ᐃ»ᑦᑦ ᐃ´ᐃ²ᐃᓄᑦᑦᐃᓄᐃ¹ 36- 56 ᐃ¼ᐃ¼)	131.63?	154.86?
ᐃ?ᐃ²ᐃᓄᑦᑦᐃ½ᐃ°ᑦᑦ ᑦᑦᑦᑦᑦᐃ°ᐃ° Mandelli NADIR 770/BG4 ᑦᑦ ᐃᓚᐃ³⁴ᐃ²ᐃ³⁴ᑦᑦᐃ³⁴ᑦᑦᐃ½ᐃ³⁴ᐃ¹ ᐃ°ᐃ½ᐃ³⁴ᐃᓚᐃ°ᐃ³⁴ᐃ¹ (ᐃ±ᐃ»ᐃᓄᑦᑦᑦᑦᑦᑦᑦᑦᐃ,ᐃ¹ ᑦᑦ ᑦᐃ³⁴ᐃ¼, ᐃ´ᐃ»ᑦᑦ ᐃ´ᐃ²ᐃᓄᑦᑦᐃᓄᐃ¹ 36-56 ᐃ¼ᐃ¼)	139.69 ?	164.34 ?
ᐃ?ᐃ²ᐃᓄᑦᑦᐃ½ᐃ°ᑦᑦ ᑦᑦᑦᑦᑦᐃ°ᐃ° Mandelli NADIR 770/BG4 ᑦᑦ ᐃᓚᐃ³⁴ᐃ²ᐃ³⁴ᑦᑦᐃ³⁴ᑦᑦᐃ½ᐃ³⁴ᐃ¹ ᐃ°ᐃ½ᐃ³⁴ᐃᓚᐃ°ᐃ³⁴ᐃ¹ (ᑦᑦᐃ°ᑦᑦᐃ,ᐃ½ᐃ³⁴ᐃ²ᑦᑦᐃ¹ ᑦᑦ ᑦᐃ³⁴ᐃ¼, ᐃ´ᐃ»ᑦᑦ ᐃ´ᐃ²ᐃᓄᑦᑦᐃᓄᐃ¹ 36-56 ᐃ¼ᐃ¼)	126.89 ?	149.28 ?
ᐃ?ᐃ²ᐃᓄᑦᑦᐃ½ᐃ°ᑦᑦ ᑦᑦᑦᑦᑦᐃ°ᐃ° Mandelli NADIR 770/BG4 ᑦᑦ ᐃᓚᐃ³⁴ᐃ²ᐃ³⁴ᑦᑦᐃ³⁴ᑦᑦᐃ½ᐃ³⁴ᐃ¹ ᐃ°ᐃ½ᐃ³⁴ᐃᓚᐃ°ᐃ³⁴ᐃ¹ (ᐃ¶ᐃᓄᐃ¼ᑦᑦᑦᑦᐃᐃ½ᑦᑦᐃ¹ ᑦᐃᓄᑦᑦᐃᐃ½ᑦᑦᐃ¹, ᐃ´ᐃ»ᑦᑦ ᐃ´ᐃ²ᐃᓄᑦᑦᐃᓄᐃ¹ 36-56 ᐃ¼ᐃ¼)	168.35 ?	198.06 ?
ᐃ?ᐃ²ᐃᓄᑦᑦᐃ½ᐃ°ᑦᑦ ᑦᑦᑦᑦᑦᐃ°ᐃ° Mandelli NADIR 771/BSY ᑦᐃ,ᑦᑦᐃ³⁴ᐃ° ᑦᑦ ᐃ³⁴ᑦᑦᐃ²ᐃᓄᑦᑦᑦᑦᑦᐃ,ᐃᓄᐃ¼ ᐃ´ᐃ»ᑦᑦ ᑦᐃ,ᐃ»ᐃ,ᐃ½ᐃ´ᑦᑦᐃ° (ᐃᓚᐃ³⁴ᐃ»ᐃ,ᑦᐃᐃ³⁴ᐃ²ᐃ°ᐃ½ᐃ½ᑦᑦᐃ¹ ᐃ»ᐃ°ᑦᑦᑦᐃ½ᑦᑦ, ᐃ´ᐃ»ᑦᑦ ᐃ´ᐃ²ᐃᓄᑦᑦᐃᓄᐃ¹ 36-56 ᐃ¼ᐃ¼)	99.25 ?	116.76 ?
ᐃ?ᐃ²ᐃᓄᑦᑦᐃ½ᐃ°ᑦᑦ ᑦᑦᑦᑦᑦᐃ°ᐃ° Mandelli NADIR 771/BSY ᑦᐃ,ᑦᑦᐃ³⁴ᐃ° ᑦᑦ ᐃ³⁴ᑦᑦᐃ²ᐃᓄᑦᑦᑦᑦᑦᐃ,ᐃᓄᐃ¼ ᐃ´ᐃ»ᑦᑦ ᑦᐃ,ᐃ»ᐃ,ᐃ½ᐃ´ᑦᑦᐃ° (ᐃ»ᐃ°ᑦᑦᑦᐃ½ᑦᑦ? ᐃ³⁴ᐃ±ᑦᑦᐃ°ᐃ±ᐃ³⁴ᑦᑦᐃ°ᐃ½ᐃ½ᑦᑦᐃ¹ ᑦᑦᑦᑦᑦᐃ°ᐃ³⁴ᐃ¹, ᐃ´ᐃ»ᑦᑦ ᐃ´ᐃ²ᐃᓄᑦᑦᐃᓄᐃ¹ 36- 56 ᐃ¼ᐃ¼)	97.51 ?	114.72 ?
ᐃ?ᐃ²ᐃᓄᑦᑦᐃ½ᐃ°ᑦᑦ ᑦᑦᑦᑦᑦᐃ°ᐃ° Mandelli NADIR 771/BSY ᑦᐃ,ᑦᑦᐃ³⁴ᐃ° ᑦᑦ ᐃ³⁴ᑦᑦᐃ²ᐃᓄᑦᑦᑦᑦᑦᐃ,ᐃᓄᐃ¼ ᐃ´ᐃ»ᑦᑦ ᑦᐃ,ᐃ»ᐃ,ᐃ½ᐃ´ᑦᑦᐃ° (ᐃ±ᐃ»ᐃᓄᑦᑦᑦᑦᑦᐃ,ᐃ¹ ᑦᑦᐃ³⁴ᐃ¼, ᐃ´ᐃ»ᑦᑦ ᐃ´ᐃ²ᐃᓄᑦᑦᐃᓄᐃ¹ 36-56 ᐃ¼ᐃ¼)	107.00 ?	125.88 ?
ᐃ?ᐃ²ᐃᓄᑦᑦᐃ½ᐃ°ᑦᑦ ᑦᑦᑦᑦᑦᐃ°ᐃ° Mandelli NADIR 771/BSY ᑦᐃ,ᑦᑦᐃ³⁴ᐃ° ᑦᑦ ᐃ³⁴ᑦᑦᐃ²ᐃᓄᑦᑦᑦᑦᑦᐃ,ᐃᓄᐃ¼ ᐃ´ᐃ»ᑦᑦ ᑦᐃ,ᐃ»ᐃ,ᐃ½ᐃ´ᑦᑦᐃ° (ᑦᑦᐃ°ᑦᑦᐃ,ᐃ½ᐃ³⁴ᐃ²ᑦᑦᐃ¹ ᑦᑦ ᑦᐃ³⁴ᐃ¼, ᐃ´ᐃ»ᑦᑦ ᐃ´ᐃ²ᐃᓄᑦᑦᐃᓄᐃ¹ 36-56 ᐃ¼ᐃ¼)	97.36 ?	114.54 ?
ᐃ?ᐃ²ᐃᓄᑦᑦᐃ½ᐃ°ᑦᑦ ᑦᑦᑦᑦᑦᐃ°ᐃ° Mandelli NADIR 771/BSY ᑦᐃ,ᑦᑦᐃ³⁴ᐃ° ᑦᑦ ᐃ³⁴ᑦᑦᐃ²ᐃᓄᑦᑦᑦᑦᑦᐃ,ᐃᓄᐃ¼ ᐃ´ᐃ»ᑦᑦ ᑦᐃ,ᐃ»ᐃ,ᐃ½ᐃ´ᑦᑦᐃ° (ᐃ¶ᐃᓄᐃ¼ᑦᑦᑦᑦᐃᐃ½ᑦᑦᐃ¹ ᑦᐃᓄᑦᑦᐃᐃ½ᑦᑦᐃ¹, ᐃ´ᐃ»ᑦᑦ ᐃ´ᐃ²ᐃᓄᑦᑦᐃᓄᐃ¹ 36-56 ᐃ¼ᐃ¼)	131.73 ?	154.98 ?
ᐃ?ᐃ²ᐃᓄᑦᑦᐃ½ᐃ°ᑦᑦ ᑦᑦᑦᑦᑦᐃ°ᐃ° Mandelli NADIR 771/BS SB (ᐃᓚᐃ³⁴ᐃ»ᐃ,ᑦᐃᐃ³⁴ᐃ²ᐃ°ᐃ½ᐃ½ᑦᑦᐃ¹ ᐃ»ᐃ°ᑦᑦᑦᐃ½ᑦᑦ, ᐃ´ᐃ»ᑦᑦ ᐃ´ᐃ²ᐃᓄᑦᑦᐃᓄᐃ¹ 36-56 ᐃ¼ᐃ¼)	86.75 ?	102.06 ?
ᐃ?ᐃ²ᐃᓄᑦᑦᐃ½ᐃ°ᑦᑦ ᑦᑦᑦᑦᑦᐃ°ᐃ° Mandelli NADIR 771/BS SB (ᐃ»ᐃ°ᑦᑦᑦᐃ½ᑦᑦ? ᐃ³⁴ᐃ±ᑦᑦᐃ°ᐃ±ᐃ³⁴ᑦᑦᐃ°ᐃ½ᐃ½ᑦᑦᐃ¹ ᑦᑦᑦᑦᑦᐃ°ᐃ³⁴ᐃ¹, ᐃ´ᐃ»ᑦᑦ ᐃ´ᐃ²ᐃᓄᑦᑦᐃᓄᐃ¹ 36- 56 ᐃ¼ᐃ¼)	85.88 ?	101.04 ?
ᐃ?ᐃ²ᐃᓄᑦᑦᐃ½ᐃ°ᑦᑦ ᑦᑦᑦᑦᑦᐃ°ᐃ° Mandelli NADIR 771/BS SB (ᐃ±ᐃ»ᐃᓄᑦᑦᑦᑦᑦᐃ,ᐃ¹ ᑦᑦᐃ³⁴ᐃ¼, ᐃ´ᐃ»ᑦᑦ ᐃ´ᐃ²ᐃᓄᑦᑦᐃᓄᐃ¹ 36-56 ᐃ¼ᐃ¼)	92.57 ?	108.90 ?
ᐃ?ᐃ²ᐃᓄᑦᑦᐃ½ᐃ°ᑦᑦ ᑦᑦᑦᑦᑦᐃ°ᐃ° Mandelli NADIR 771/BS SB (ᑦᑦᐃ°ᑦᑦᐃ,ᐃ½ᐃ³⁴ᐃ²ᑦᑦᐃ¹ ᑦᑦ ᑦᐃ³⁴ᐃ¼, ᐃ´ᐃ»ᑦᑦ ᐃ´ᐃ²ᐃᓄᑦᑦᐃᓄᐃ¹ 36-56 ᐃ¼ᐃ¼)	85.94 ?	101.10 ?

TOOTENIMETUS	SOODUS	HIND
Ð?Ð²ÐµÑ?Ð½Ð°Ñ• Ñ?Ñ?Ñ?Ð°Ð° Mandelli NADIR 771/BS SB (Ð¶ÐµÐ¼Ñ?Ñ?Ð¶Ð½Ñ?Ð¹ Ñ?ÐµÑ?Ð½Ñ?Ð¹, Ð´Ð»Ñ• Ð´Ð²ÐµÑ?ÐµÐ¹ 36-56 Ð¼Ð¼)	116.28?	136.80?

